



CHARGE PERFORMANCE QUICK REFERENCE GUIDE



TITAN								
Gun O.D.	Charge Part #	Gr. Wt.	E.H.	TTP	NTP*	Density - Phasing	Strip	Data
ECO 79mm (3 1/8")	EXP-4016-302	16 DP	0.47	25.12	25.96	7-120D, 14-60D	ES2	Q.C.
	EXP-4019-302	19 DP	0.54	26.13	26.82	7-120D, 14-60F	ES2	Q.C.
86mm (3 3/8")	10-3322-313	22 BH	0.70	6.18	6.84	14-90D, 17-60D, 20-60D	S2	API, 5th
	EXP-3323-331	23 GH	0.60	24.75	25.50	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-322T	23 SDP	0.45	40.54	41.86	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-422T	23 SDP	0.43	37.02	39.56	14-90D, 17-60D, 20-60D	S2	API 5th
	10-3326-313	26 BH	0.80	10.43	10.56	14-90D, 17-60D	U21	API, 5th
	EXP-3332-308	32 DP	0.37	31.00	32.13	14-90D, 17-60F	S2	Q.C.
101mm (4")	EXP-3332-320T	32 SDP	0.38	36.39	38.61	14-90D, 17-60F	U21	API, 5th
	10-3322-313	22 BH	0.60	5.92	6.12	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-331	23 GH	0.54	29.68	30.70	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-322T	23 SDP	0.32	36.19	37.43	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-422T	23 SDP	0.32	36.19	37.43	14-90D, 17-60D, 20-60D	S2	Q.C.
	10-3326-313	26 BH	0.87	7.21	7.44	14-90D, 17-60D	U21	Q.C.
	EXP-3332-308	32 DP	0.32	33.49	33.78	14-90D, 17-60D, 20-60F	S2	API, 5th
	EXP-3332-320T	32 SDP	0.39	38.47	39.79	14-90D, 17-60D	U21	Q.C.
	LTD-5032-300Z	32 DP	0.53	25.08	25.71	14-90D, 17-60D	S25	Q.C.
	LTD-5032-311Z	32 BH	0.81	6.84	7.06	14-90D, 17-60D	S25	Q.C.
	EXP-4036-300	36 DP	0.52	27.50	28.04	14-90D, 17-60F	S25	Q.C.
	LTD-5036-300Z	36 DP	0.54	28.50	29.48	14-90D, 17-60F	S25	Q.C.
	EXP-4039-328T	39 SDP	0.45	45.07	51.34	14-90D, 17-60F	S25	API, 5th
	EXP-4039-428T	39 SDP	0.51	42.33	43.16	14-90D, 17-60F	S25	Q.C.
127mm (5")	10-3322-313	22 BH	0.60	6.63	6.86	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-322T	23 SDP	0.31	39.03	39.83	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-422T	23 SDP	0.32	43.23	44.71	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3323-331	23 GH	0.50	32.30	32.96	14-90D, 17-60D, 20-60D	S2	Q.C.
	10-3326-313	26 BH	0.87	7.21	7.53	14-90D, 17-60D	U21	Q.C.
	EXP-3332-308	32 DP	0.32	31.00	32.38	14-90D, 17-60D, 20-60D	S2	Q.C.
	EXP-3332-320T	32 SDP	0.41	40.20	41.58	14-90D, 17-60D	U21	Q.C.
	LTD-5032-300Z	32 DP	0.45	26.03	26.93	14-90D, 17-60D	S25	Q.C.
	LTD-5032-311Z	32 BH	0.69	7.08	7.32	14-90D, 17-60D	S25	Q.C.
	EXP-4036-300	36 DP	0.49	32.67	33.31	14-90D, 17-60D	S25	Q.C.
	LTD-5036-300Z	36 DP	0.46	28.83	29.40	14-90D, 17-60D	S25	Q.C.
	EXP-4039-328T	39 SDP	0.53	37.41	39.08	14-90D, 17-60D	S25	Q.C.
	EXP-4039-428T	39 SDP	0.50	43.13	43.99	14-90D, 17-60D	S25	Q.C.
	LTD-5030-340Z	30 SBH	0.95	7.16	7.32	26-45F	S3	Q.C.
10-4521-304	21 DP	0.56	22.78	23.44	26-45F	S3	Q.C.	
LTD-5028-301	30 DP	0.59	23.89	25.08	26-45F	S3	Q.C.	
GOEX								
Gun O.D.	Charge Part #	Gr. Wt.	E.H.	TTP	NTP*	Density - Phasing	Strip	Data
ECO 79mm (3-1/8")	022-4000-142NJ	16 DP	0.43	19.25	19.69	7-120D, 14-90D	ES2	Q.C.
	022-4000-102CNJ	19 DP	0.48	19.71	20.16	7-120D, 14-90F	ES2	Q.C.
86mm	022-3375-308	23 SDP	0.43	34.92	37.23	14-90D, 17-60D, 20-60F	S2	Q.C.
	022-5000-311	32 DP	0.58	27.38	28.36	14-90D, 17-60F	U21	Q.C.
101mm	022-3375-308	23 SDP	0.41	35.17	37.50	14-90D, 17-60D, 20-60D	S2	Q.C.
	022-5000-311	32 DP	0.59	28.41	29.43	14-90D, 17-60D	U21	Q.C.
	022-5000-319	36 DP	0.58	30.88	0.00	14-90D, 17-60F	U21	Q.C.
127mm	022-7000-500	36 SDP	0.51	42.83	45.67	14-90, 17-60F	S25	Q.C.
	022-3375-308	23 SDP	0.35	35.67	38.03	14-90D, 17-60D, 20-60D	S2	Q.C.
	022-5000-311	32 DP	0.60	29.63	30.69	14-90D, 17-60D	U21	Q.C.
	022-5000-319	36 DP	0.55	32.13	0.00	14-90D, 17-60D	U21	Q.C.
	022-7000-500	36 SDP	0.52	44.58	47.53	14-90D, 17-60D	S25	Q.C.

NTP* = Penetration normalized to 5000 psi by method of SPE27424 (approx. 3.6%/1000psi)

D = Dry F = Fluid

Calgary: (403)255-7776
Brooks: (403)501-5330
Medicine Hat: 1-888-526-4996

Spruce Grove: 1-800-962-3370
Grande Prairie: 1-888-861-0139
Lloydminster: (780)875-7072

Red Deer: (403)309-7341
Estevan: (306)634-6743
Website: www.explosives.com